



# 76 CM, 72V RIDE-ON LAWN MOWER

powered tractor mower.



### **MULTIPLE HEIGHT OF CUT OPTIONS**

10 positions of cutting height from 2.5 cm up to 10.5 cm.



## A MORE TRANQUIL MOWING EXPERIENCE

## - WITH ALL THE TECHNOLOGY YOU EXPECT FROM TORO®

Low maintenance and feature-packed, the eS3000 will quickly become a vital part of your Toro® equipment stable.



**HASSLE-FREE**No belts, pulleys, spark plugs, fuel or oil.



**EFFICIENT**Quiet operation. Low maintenance.
Simple recharge.



**VERSATILE**Add even more functionality, the Tow Hitch allows for optional accessories to be fitted.

## SPECIFICATIONS\*

ES3000SD 72V RIDE-ON LAWN MOWER (76 CM) (75500)	
TRANSMISSION MOTOR	Single motor with a rating of 800w. Powered by an integrated battery with mains charging cable (in place charging)  Lead acid AGM 72V
RUN TIME	Up to 2 hours or 8000m <sup>2</sup>
DECK SIZE	76 cm (30 inches)
DECK CONFIGURATION	Right side discharge, two blade mid-mounted rotary. Formed steel housing with welded mounting brackets
DECK SPINDLES	Two motors (800kw each) on each spindle, powering the rotation of each blade
HEIGHT OF CUT	2.5 cm to 10.6 cm (1 to 4.2 inches) HOC in 10 increments
STEERING CONTROL	Ergonomic standard steering wheel
WHEELBASE	107 cm (42.2 inches)
TURNING CIRCLE	46 cm
TYRES	$33.0 \times 16.5 - 15.2 \text{ cm}$ (13.0 x 6.5 – 6.0 inch), pneumatic tyre with symmetrical tread
SEAT	Adjustable, hinged mounting, with spring suspension
GROUND SPEED	Mow: 0 to 5 km/h (0 to 3.1 mph) Forward: 0 to 8 km/h (0 to 5 mph) Reverse: 0 to 5 km/h (0 to 3.1 mph)
NET WEIGHT	188 kg
OVERALL DIMENSIONS	Height: 106 cm (41.7 inches)  Width: Deflector down - 106 cm (41.7 inches). Deflector up/deck width - 82 cm (32.3 inches)  Length: 148 cm (58.3 inches)
ACCESSORIES AND ATTACHMENTS	
TOOL CARRYING BAG OPTIONS	Part No. 134-6344
REGULAR MAINTENANCE OPTIONS	
BLADES	Part No. 134-5725
WARRANTY	Consumer: Machine 3 years warranty Professional: Machine 30 days warranty Refer to Operator's Manual for further details

<sup>\*</sup> Specifications and design subject to change without notice. Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features. Consult your local Toro Distributor.

We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation











#### Count on it.



## toro.com.au Toro Customer Service 1300 867 628

Toro Australia Head Office 53 Howards Road Beverley SA 5009

©2021Toro Australia. All Rights Reserved. Printed in Australia.

17032021/IND-C0223 03/2021 FOLLOW US!







facebook.com/toroaus twitter.com/toroaus youtube.com/toroaustralia

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs, and standard equipment without notice and without incurring obligation. The gross horsepower of the engines have been laboratory rated by the various engine manufacturers. As configured to meet safety, emission and operating requirements, the actual engine horsepower on this class may be significantly lower.

Many of the products you will find in certified Toro dealers' stores come with a warranty or guarantee from The Toro Company. In addition, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Full details of your consumer rights may be found at www.consumerlaw.gov.au

\*See your certified Toro dealers for details on all of our warranties.